

MANIFOLDS

- Used to connect multiple lines to one inlet.
- Built with radial or linear outlet. The linear models are supplied with a pressure gauge installation hole.
- Available in 11 standard models and in special versions for high pressure jobs.
- 1000 BAR














Manifolds - fittings and hydraulic oil




	MODEL	NUMBER OF USES	DIMENSIONS in mm									
			A	B	C	D	E	F	G	H		
	MR - 3V	3	70	26	3/8" NPT							
	MR - 5V	5	70	26	3/8" NPT							
	MR - 11V	11	148	35	3/8" NPT							
	MR - 17V	17	230	35	3/8" NPT							
	MA - 5	5	118	40	30	16	55	3/8" NPT	45	G 1/2"		
	MA - 7	7	173	40	30	16	55	3/8" NPT	100	G 1/2"		
	MA - 9	9	228	40	30	16	55	3/8" NPT	100	G 1/2"		
	ML - 5	5	200	45	50	3/8" NPT	G 1/2"	186	31	6,5		
	ML - 7	7	300	45	50	3/8" NPT	G 1/2"	286	31	6,5		
	ML - 9	9	400	45	50	3/8" NPT	G 1/2"	386	31	6,5		
	ML - 11	11	500	45	50	3/8" NPT	G 1/2"	486	31	6,5		

	MODEL	NUMBER OF USES	DIMENSIONS in mm								
			A	B	C	D	E	F	G	H	
	VM5A/2	3	160	50	97	84	20	3/8" NPT	100	30	
	VM5A/4	5	360	50	97	84	13	3/8" NPT	100	30	

FITTINGS

	TYPE	MODEL	DIMENSIONS in mm				
			A	B	C	D	
	ELBOW	G - 241	38	35	50	3/8" NPT	
		GF - 242	38	35	3/8" NPT	-	
	T FITTING	T - 342	38	66	53	3/8" NPT	
	CROSS FITTING	C - 442	38	66	3/8" NPT	-	
	REDUCTION	R - 313	40	CH 27	1/4" NPT	3/8" NPT	
		R - 314	40	CH 27	3/8" NPT	1/4" NPT	
		R - 316	45	CH 32	G 1/2"	1/4" NPT	
		R - 352	45	CH 32	G 1/2"	3/8" NPT	
	HEX COUPLING	ME - 349	37	CH 27	3/8" NPT	3/8" NPT	
		ME - 357	37	CH 27	1/4" NPT	3/8" NPT	
	NIPPLE	N - 341	39	CH 17	1/4" NPT	1/4" NPT	
		N - 343	41	CH 19	1/4" NPT	3/8" NPT	
		N - 344	41	CH 19	3/8" NPT	3/8" NPT	
	LONG NIPPLE	NL - 345	55	3/8" NPT	-	-	
		NL - 346	80	3/8" NPT	-	-	
		NL - 347	150	3/8" NPT	-	-	

	MODEL	Litres
	OIL - 1	1
	OIL - 5	5
	OIL - 10	10

HYDRAULIC OIL